
References

- Ahyerre, M., G. Chebbo, and M. Saad (2001). Sources And Erosion Of Organic Solids In A Combined Sewer. *Urban Water* (G.B.), **2**(2).
- American Society of Civil Engineers (2001). *Guide for Best Management Practice (BMP) Selection in Urban Developed Areas*. Urban Water Infrastructure Management Committee's Task Committee for Evaluating Best Management Practices, American Society of Civil Engineers, Reston, VA.
- American Society of Civil Engineers and Water Environment Federation (1998). *Urban Runoff Quality Management*, ASCE, Manuals and Report of Engineering Practice No. 87, Reston, VA. WEF, Manual of Practice No. 23, Alexandria. VA.
- Armitage, N. and A. Rooseboom (2000). The Removal of Urban Litter from Stormwater Conduits and Streams: The Quantities Involved and Catchment Litter Management Options. *Water South Africa*, **26** (2), 181. <http://www.wrc.org.za>
- Arthur S. and R.M. Ashley (1998). The Influence Of Near Bed Solids Transport On First Foul Flush In Combined Sewers. *Wat.Sci.Tech.* (G.B.) **37** (1).
- Arthur S., R.M. Ashley, and C. Nalluri (1996). Near Bed Solids Transport In Sewers. *Wat.Sci.Tech.* (G.B.) **33** (9)
- Ashley R M., T. Hvitved-Jacobsen, and J-L. Bertrand-Krajewski (1999). Quo Vadis Sewer Process Modelling? *Wat.Sci.Tech.* (G.B.) **39** (9).
- Ashley, R. M. and R.W. Crabtree (1992). Sediment Origins, Deposition And Build-Up In Combined Sewer Systems. *Wat. Sci. Tech.* (G.B.) **25** (8).
- Ashley, R. M. and T. Hvitved-Jacobsen (2002). Management of Sewer Sediments. In *Wet-Weather Flow In The Urban Watershed Technology and Management*, Field, R. and D. Sullivan (Eds.) CRC Press/ Lewis Publishers, Boca Raton, FL.
- Ashley, R. M., N. Souter, D. Butler, J. Davies, J. Dunkerley, and S. Hendry (1999). Assessment of the Sustainability of Alternatives for the Disposal of Domestic Sanitary Waste. *Wat.Sci.Tech.* **39**, 5.
- Ashley, R. M., N. Souter, D.J. Blackwood, S. Hendry, J. Moir, and J. Dunkerley (2000). The Relative Sustainability Of Flushing or Binning Sanitary Waste. Submitted to *J Envi. Eng* American Society of Civil Engineers, Reston, VA.
- Ashley, R.M. and R.W. Crabtree (1992). Sediment Origins, Deposition and Build-up in Combined Sewer Systems. *Wat. Sci. Techn.* **25** (8), 1–12.
- Bachoc, A. (1992). Location And General Characteristics Of Sediment Deposits Into Man-Entry Combined Sewers. *Wat.Sci.Tech.* (G.B.) **25**,(8).
- Bertrand-Krajewski J-L., H. Madiéc, O. Moine (1996). Two Experimental Sediment Traps: Operation and Solids Characteristics. *Wat.Sci.Tech.* **33**, 9.
- Bertrand-Krajewski, J.L. (1993). Solid Transport Modeling in Combined-Sewer Systems: The HYPOCRAS Model (France). *HOUILLE BLANCHE*, No. 4, ISSN 0018-6368.

-
- Boon, A.G. (1995). Septicity in Sewers: Causes, Consequences and Containment. *Wat. Sci. Techn.* **31** (7), 237–253.
- Boon, A.G. and A.R. Lister (1975). Formation of Sulphide in a Rising-Main Sewer and its Prevention by Injection of Oxygen. *Prog. Wat. Technol.* **7**(2), 289–300.
- Chebbo, G., D. Laplace, A. Bachoc, Y. Sanchez, and B. Le Guennec (1995). *Technical Solutions Envisaged in Managing Solids in Combined Sewer Networks*, International Conference on Sewer Solids-Characteristics, Movement, Effects and Control, Dundee, Scotland.
- Cornelius, M.; T. Clayton, G. Lewis, G. Arnold, and J. Craig (1994). *Litter Associated with Stormwater Discharge in Auckland City, New Zealand*. Island Care New Zealand Trust, Auckland.
- Cotham, W. and T. Bidleman (1995). Polycyclic Aromatic Hydrocarbons and Polychlorinated Biphenyls in Air at an Urban and a Rural Site near Lake Michigan, *Environ. Sci. & Technol.* **29**: 2782-2789.
- Delleur, J.W. (2001). Sediment Movement in Drainage Systems. Chapter 14. *Stormwater Collection Systems Design Handbook*. Mays, L.W. (Ed.) McGraw-Hill, New York, NY
- Ellis, J.B. and D.M. Revitt. (1982). Incidence of Heavy Metals in Street Surface Sediments: Solubility and Grain Size Studies. *Water, Air, and Soil Pollution*, **17** (1).
- Fan, C-Y., R. Field, W.C. Pisano, J. Barsanti, J.J. Joyce, and H. Sorensen (2001). Sewer and Tank Flushing for Sediment, Corrosion, and Pollution Control. *Water Resour. Plan. & Managt.* **127** (3).
- Field, R., and R. Turkeltaub (1981). Urban Runoff Receiving Water Impacts-Program Overview. *J. Environ. Eng. Div.* **107**, 1, 83.
- Förster, J. (1996). Heavy Metal and Ion Pollution Patterns in Roof Runoff. *Proc. 7th Int. Conf. on Urban Storm Drainage*, IAHR/IAWQ Joint Committee on Urban Storm Drainage, Hannover, Germany, 241.
- Guo, J. C-Y. (1999). Sand Recovery for Highway Drainage Designs, *J. Irrig. & Drainag. Eng.* **125** (6).
- Guo, Q., C-Y. Fan, R. Raghaven, and R. Field (2004). Gate and Vacuum Flushing of Sewer Sediment: Laboratory Testing. *J. Hydulic Eng.* ASCE (In Press)
- Heaney J P., L. Wright, D. Sample, R. Field, and C-Y. Fan (1999). Innovative Wet-Weather Flow Collection, Control, and Treatment Systems for Newly Urbanizing Areas in the 21st Century. In: *Sustaining urban water resources in the 21st century* (Ed. Rowney C., Stahre P., Roesner L A.) ASCE. ISBN 0-78440-0424-0.
- Herrmann, T., C. Bruns, B. Gatje, and G. Ilgen (1999). Urea - The Reason for Fish Kill after Overflow Events from Combined Sewers? *Proc. The Eighth International Conference on Urban Storm Drainage*. August 30 - September 3, 1999, Sydney, Australia. Edited by I.B. Joliffe and J.E. Ball. The Institution of Engineers Australia, The International Association for Hydraulic Research and The International Association on Water Quality. 1296.
- Hilts, P. (1996). Fine Particles in Air Cause Many Deaths, Study Suggests. *The New York Times*, May 9, 1996.
- Huber, W.C. and R.E. Dickinson (1988). *Storm Water Management Model User's Manual, Version 4*, EPA/600/3-88/001a; NTIS PB88-236641/AS, U.S. Environmental Protection Agency, Athens, GA.
- Hütter, U. and F. Remmler (1996). Stormwater Infiltration at a Site with Critical Subsoil Conditions: Investigations of Soil, Seepage Water, and Groundwater. *Proc. 7th Int. Conf. on Urban Storm Drainage*, IAHR/IAWQ Joint Committee on Urban Storm Drainage, Hannover, Germany, 713.
- Jefferies, C. and R.M. Ashley (1994). The Behaviour Of Gross Solids In Sewer Systems. *EWPC*, **4** (5).
- Hvitved-Jacobsen, T. (2002). *Sewer Process: Microbial and Chemical Process Engineering of Sewer Networks*. CRC Press, Boca Raton, Florida.
- Krebs, P., P. Holzer, J.L. Huisman, and W. Rauch (1999). First-Flush of Dissolved Compounds. *Wat. Sci. Tech.* **39**, 9, 55.
- Mason, R.P., N.M. Lawson, A.L. Lawrence, J.J. Leaner, J.G. Lee, and G.R. Shew (1999). Mercury in the Chesapeake Bay. *Marine Chemistry*. **65**, 1-2, 77.
- May, R.W.P., J.C. Ackers, D. Butler, and S. John (1996). Development Of Design Methodology For Self-Cleansing Sewers. *Wat. Sci. Tech.*, (G.B.) **33** (9).
- Montrejaud-Vignoles, M., S. Roger, and L. Herremans. (1996). Runoff Water Pollution Of Motorway Pavement In Mediterranean Area. *Proc. 7th Int. Conf. on Urban Storm Drainage*, IAHR/IAWQ Joint Committee on Urban Storm Drainage, Hannover, Germany.
- Mull, R. (1996). Water Exchange Between Leaky Sewers and Aquifers. *Proc. 7th Int. Conf. On Urban Storm Drainage*, IAHR/IAWQ Joint Committee on Urban Storm Drainage, Hannover, Germany, 695.

-
- Newman, T. L. and W.M. Leo (2002). Characterization of Urban-Source Floatables. In *Proceedings of WEF Specialty Conference 2000: Collection Systems Wet Weather Pollution Control*.
- Nielsen, P.H. (1991). Sulfur Sources for Hydrogen Sulfide Production in Biofilm from Sewer Systems. *Water Sci. Tech.* **23**(1).
- Nowakowska-Blaszczyk, A. and J. Zakrzewski (1996). The Sources and Phases of Increase of Pollution in Runoff Waters in Route to Receiving Waters. In: *Proc. 7th Int. Conf. on Urban Storm Drainage*, IAHR/IAWQ Joint Committee on Urban Storm Drainage, Hannover, Germany.
- Pisano, W.C. and C.S. Queiroz (1977). *Procedures for Estimating Dry Weather Pollutant Deposition in Sewerage Systems*, Report No. EPA-600/2-77/120, NTIS PB 270 695, U.S. Environmental Protection Agency, Municipal Environmental Research Laboratory, Cincinnati, OH.
- Pisano, W.C. and C.S. Queiroz (1984). *Procedures for Estimating Dry Weather Sewage InLine Pollutant Deposition-Phase II*, Report No. EPA-600/2-84/020, NTIS PB 84141 480, U.S. Environmental Protection Agency, Municipal Environmental Research Laboratory, Cincinnati, OH.
- Pisano, W.C., D. Connick, C. Queiroz, and J. Aronson (1979). *Dry Weather Deposition and Flushing for CSO Pollution Control*, EPA/600/2-79-133; NTIS PB 80 118 524, U.S. Environmental Protection Agency, Cincinnati, OH.
- Pisano, W.C. and H. Brombach (1996). Solids Settling Curves. *Water Environment & Technology*, **8**(4). Water Environment Federation, Alexandria, VA.
- Pisano, W.C., G. Novac, and N. Grande (1997). Automated Sewer Flushing Large Diameter Sewers. *Collection Systems Rehabilitation and O&M: Solving Today's Problems and Meeting Tomorrow's Needs*, Section 12. Wade, M. (Ed.) Water Environment Federation, Alexandria, VA, 12-9-12-20.
- Pisano, W.C.; Barsanti, J.; Joyce, J.; Sorensen, H. (1998). *Sewer and Tank Sediment Flushing: Case Studies*. EPA-600/R-98/157. NTIS PB 99-127839INZ, U.S. Environmental Protection Agency, National Risk Management Research Laboratory, Cincinnati, OH.
- Pisano, W.C., J.R. Barsanti, and F.J. Ayotte (2001) *Sewer Sediment Flushing Evaluation and Design: A Case Study*. Draft interim report under EPA Contract No. 68-C98-157, Urban Watershed Management Branch, Water Supply and Water Resources Division, National Risk Management Research Laboratory, U.S. Environmental Protection Agency, Edison, NJ.
- Pitt, R., R. Field, M. Lalor, and M. Brown (1995). Urban Stormwater Toxic Pollutants: Assessment, Sources, and Treatability. *Wat. Environ. Research* **67**(3): 260.
- Process Research, Inc., (1976). *A Study of Pollution Control Alternatives for Dorchester Bay*, Metropolitan District Commission, Boston, MA.
- Renard, K.G., G.R. Foster, G.A. Weesies, D.K. McCool, and D.C. Yoder (1996). *USDA-ARS Agriculture Handbook No. 703: Predicting Soil Erosion by Water – a Guide to Conservation Planning with the Revised Universal Soil Loss Equation (RUSLE)*. Soil and Water Conservation Society, Ankeny, IA.
- Saget, A., G. Chebbo, and J-L. Bertrand-Krajewski (1996). The First-Flush Sewer Systems, *Wat. Sci. Tech.* Vol. **33**, 9, 101-108.
- Sakakibara, T. (1996). Roof Runoff Storm Water Quality. *Proc. 7th Int. Conf. on Urban Storm Drainage*, IAHR/IAWQ Joint Committee on Urban Storm Drainage, Hannover, Germany, 157.
- Sansalone, J. (1996). Immobilization of Metals and Solids Transported in Urban Pavement Runoff. *North American Environ. Congress '96. Anaheim, CA. America Society of Civil Engineers*, Reston, VA.
- Sansalone, J.J. and S.G. Buchberger (1996). Characterization of Solid and Metal Element Distributions in Urban Highway Stormwater. In: *Proc. 7th Int. Conf. on Urban Storm Drainage*, IAHR/IAWQ Joint Committee on Urban Storm Drainage, Hannover, Germany, 253.
- Sanudo-Wilhelmy, S.A. and G.A. Gill (1999). Impact of the Clean Water Act on the Levels of Toxic Metals in Urban Estuaries: The Hudson River Estuary Revisited. *Environ. Sci. Technol.* **33**, 20, 3477.
- Sartor, J.D. and G.B. Boyd (1972). *Water Pollution Aspects of Street Surface Contaminants*. EPA-R-2-72-081; NTIS PB , U.S. Environmental Protection Agency, Municipal Environmental Research Laboratory, Cincinnati, OH.
- Saxton, G., K. Siftar, and P. Fowler (1996). Quantifying the Pollutant Characteristics of Snow Versus Snowmelt Runoff in a Reliable and Economical Manner at Eielson Air Force Base, AK. In: *Proc. WEFTEC'96, 69th Annu. Conf. & Expo., Dallas, TX*. Water Environment Federation, Alexandria, VA.

-
- Saul, A.J., J.K. Houldsworth, J. Meadowcroft, D.J. Balmforth, C. Digman, D. Butler, and J.W. Davies (1999). Predicting Aesthetic Pollutant Loadings from Combined Sewer Overflows. *Proc. The Eighth International Conference on Urban Storm Drainage*. August 30 - September 3, 1999, Sydney, Australia. Edited by I.B. Joliffe and J.E. Ball. The Institution of Engineers Australia, The International Association for Hydraulic Research and The International Association on Water Quality. 482.
- Shaheen, D.G. (1975). *Contributions of Urban Roadway Usage to Water Pollution*. EPA-600/2-75/004; NTIS PB 245 854, U.S. Environmental Protection Agency, Municipal Environmental Research Laboratory, Cincinnati, OH.
- Sonnen, M. (1977). *Abatement of Deposition and Scour in Sewers*, Report No. EPA-600/2-77/212, NTIS PB 276 585, U.S. Environmental Protection Agency, Municipal Environmental Research Laboratory, Cincinnati, OH.
- Squillace, P.J., J.S. Zogorski, W.G. Wilber, and C.V. Price (1996). Preliminary Assessment of the Occurrence and Possible Sources of MTBE in Groundwater in the United States, 1993 - 94. *Environ. Sci. & Technol.*, **30**, 5, 1721.
- St. Michelbach, G.W. and H. Brombach, (1999). Nutrient Impact from CSOs on Lake Constance. *Proc. The Eighth International Conference on Urban Storm Drainage*. August 30 - September 3, 1999, Sydney, Australia. Edited by I.B. Joliffe and J.E. Ball. The Institution of Engineers Australia, The International Association for Hydraulic Research and The International Association on Water Quality. 474.
- Strecker, E.W., M.M. Quigley, B.R. Urbonas, J.E. Jones, and J.K. Clary (2001). Determining Urban Storm Water BMP Effectiveness, *ASCE Journal of Water Resources Planning and Management*, Vol. 127, No. 3, p. 114.
- Strecker, E. (2002). Low-Impact Development (LID): Is it Really Low or Just Lower. In *Proceedings of an Engineering Foundation Conference Linking Stormwater BMP Designs and Performance to Receiving Water Impacts Mitigation*; Snowmass, CO, American Society of Civil Engineers, Reston, VA..
- Thistlethwaite, D.K.B. (1972). *Control of Sulphides in Sewerage Systems*. Ann Arbor Science, Ann Arbor, MI.
- Thorolfsson, S.T. and J. Brandt (1996). The Influence of Snowmelt on Urban Runoff in Norway. *Proc. 7th Int. Conf. On Urban Storm Drainage*, IAHR/IAWQ Joint Committee on Urban Storm Drainage, Hannover, Germany, 133.
- Tomlinson, R.D., B.N. Bebee, A.A. Heyward, S.G. Munger, and R.G. Swartz (1980). *Fate and Effects of Particulates Discharged by Combined Sewers and Storm Drains*, EPA-600/2-80-111, U.S. Environmental Protection Agency, Municipal Environmental Research Laboratory, Cincinnati, OH.
- Trauth, R. and C. Xanthopoulos (1996). Non-point Pollution of Groundwater in Urban Areas. *Proc. 7th Int. Conf. on Urban Storm Drainage*, IAHR/IAWQ Joint Committee on Urban Storm Drainage, Hannover, Germany, 701.
- U.S. Environmental Protection Agency (1985). *Design Manual Odor and Corrosion Control in Sanitary Sewerage Systems and Treatment Plants*, EPA/625/1-85/018, U.S. Environmental Protection Agency, Washington, D.C.
- U.S. Environmental Protection Agency (1985). *Design Manual: Odor And Corrosion Control In Sanitary Sewerage Systems And Treatment Plants*. EPA/625/185/018, U.S. Environmental Protection Agency, Cincinnati, Ohio, USA
- U.S. Environmental Protection Agency (1989). *Results of the Evaluation Groundwater Impacts of Sewer Exfiltration*, NTIS No. PB95-158358, Municipal Facilities Division, Office of Water, U.S. Environmental Protection Agency, Washington, D.C.
- U.S. Environmental Protection Agency (1992). *Manual For Wastewater Treatment/Disposal For Small Communities*. EPA/625/R-92/005, U.S. Environmental Protection Agency, Cincinnati, Ohio, USA.
- U.S. Environmental Protection Agency (2000). *Exfiltration in Sewer Systems*. Report No. EPA/600/R-01/034. U.S. Environmental Protection Agency, National Risk Management Research Laboratory, Cincinnati, OH
- U.S. Environmental Protection Agency (2002). *Considerations in the Design of Treatment Best Management Practices (BMPs) to Improve Water Quality*. EPA publication number pending. Urban Watershed Management Branch. Water Supply and Water Resources Division, National Risk Management Research Laboratory, Edison, NJ. (<http://www.epa.gov/ednnrmrl/>).
- U.S. Environmental Protection Agency (2003). *System and Method for Vacuum Flushing Sewer Solids*. United States Patent No. 6,655,402. U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, D.C.

-
- Venkatesan, M.I., R.P. de Leon, A. van Geen, and S.N. Luoma (1999). Chlorinated Hydrocarbon Pesticides and Polychlorinated Biphenyls in Sediment Cores from San Francisco Bay. *Marine Chemistry*. **64**, 1-2, 85.
- Vignoles, M. and L. Herremans (1995). Metal Pollution of Sediments Contained in Runoff Water in the Toulouse City. *NOVATECH 95, Second International Conference on Innovative Technologies in Urban Storm Drainage*, May 30-June 1, 1995. Lyon, France, Organized by Eurydice 92 and GRAIE. p.611.
- Wada Y., H. Miura, and K. Hasegawa (1987). Model Building And Analysis Of Runoff Water Quality Of Flush From The Street Gully Pots. *Proceedings of the 4th International Conference on Urban Storm Drainage*, Lausanne, Switzerland, 60-65.
- Wada, Y., H. Miura, and O. Muraoka (1996). Influence of Discharge Pollutants from the Highway at Rainfall on Water Quality of the Public Water Body. *Proc. 7th Int. Conf. on Urban Storm Drainage*, IAHR/IAWQ Joint Committee on Urban Storm Drainage, Hannover, Germany, 461.
- Weis, P. and J.S. Weis (1996). Leaching from Chromated-Copper-Arsenic (CCA) Treated Wood and Effects in Chesapeake Bay. Abstract Book: *SETAC 17th Annu. Meeting*, Washington, DC., 88.
- Zogorski, J.S., A.B. Morduchowitz, A.L. Baehr, B.J. Bauman, D.L. Conrad, R.T. Drew, N.E. Korte, W.W. Lapham, J.F. Pankow, and E.R. Washington (1996). Fuel Oxygenates and Water Quality: Current Understanding of Sources, Occurrence in Natural Waters. *Environmental Behavior, Fate, and Significance*. Executive Office of the President, Office of Science and Technology Policy, Washington, DC.